

LISTS OF LATEST BROCADE PRODUCTS SUPPORTED BY ABTECH TECHNOLOGIES



(Gen 7 - 64G):

Brocade name	Brocade switch type	Max. port data rate (Gbit/s)	Max. ports	Dell EMC version	Fujitsu version	HDS version	HP version	IBM version
X7-8	180	64	512 (32 Gbit/s), 384 (64 Gbit/s)	ED-DCX7-8B				SAN512B-7
X7-4	179	64	256 (32 Gbit/s), 192 (64 Gbit/s)	ED-DCX7-4B				SAN256B-7
G720	181	64	64	DS-7720B				SAN64B-7
G730	189	64	128					

Recent products (Gen 6 - 32G):

Brocade name	Brocade switch type	Max. port data rate (Gbit/s)	Max. ports	Dell EMC version	Fujitsu version	HDS version	HP version	IBM version
X6-8	166	32/128	512	ED-DCX6-8B			SN8600B 8-slot SAN Director Switch	SAN512B-6
X6-4	165	32/128	256	ED-DCX6-4B			SN8600B 4-slot SAN Director Switch	SAN256B-6
G610	170	32	24	DS-6610B			SN3600B	SAN24B-6

G620	162	32/128	48 (SFP) + 4 (QSFP) = 64	DS-6620B	G620	G620	SN6600B		SAN64B-6
G630	173	32/128	96 (SFP) + 8 (QSFP) = 128	DS-6630B			SN6650B		SAN128B-6
7810 (extension)	178	32	12 FC+6 Ethernet	MP-7810B					SAN18B-6
7840 (extension)	148	16	24 FC+12 Ethernet	MP-7840B					SAN42B-R

End-of-sale products (Gen 5 - 16G):

Brocade name	Brocade switch type	Max. port data rate (Gbit/s)	Max. ports	Dell version	EMC version	Fujitsu version	HDS version	HP version	IBM version
DCX 8510-8	120	16	512	DCX 8510-8	ED-DCX8510-8B	DCX 8510-8	DCX 8510-8	SN8000B SAN Director 8-Slot	SAN768B-2
DCX 8510-4	121	16	256	DCX 8510-4	ED-DCX8510-4B	DCX 8510-4	DCX 8510-4	SN8000B SAN Director 4-Slot	SAN384B-2
6505	118	16	24	6505	DS-6505B		6505	SN3000B	SAN24B-5
6510	109	16	48	6510	DS-6510B	6510	6510	SN6000B	SAN48B-5
6520	133	16	96	6520	DS-6520B	6520	6520	SN6500B	SAN96B-5

Legacy SAN products

Legacy products (1G 2G 4G)

Brocade name	Brocade switch type	Max. port speed (Gb/s)	Max. ports	IBM version	HP version	EMC version
1000	1	1	16	?	?	?
2000	7	?	?	?	?	?
2800	2, 6	1	16	2109-S16	16B	DS-16B
3000	18	?	?	?	?	?
3014	33	?	?	?	?	?
3016	22	?	?	?	?	?
3200	16	2	8	3534-F08	2/8	DS-8B2
3250	27	2	8	2005-H08	2/8V	?
3800	9	2	16	2109-F16	2/16	DS-16B2
3800VL	17	?	?	?	?	?
3850	26	2	16	2005-H16	2/16V	DS-16B3

3900	12	2	32	2109-F32	2/32	DS-32B2
12000 Director	10	2	2 x 64	2109-M12	2/64	ED-12000-B
24000 Director	21	4	128	2109-M14	2/128	ED-24000B
48000 Director	42	4	384	2109-M48	4/256	ED-48000B
200E	34	4	16	2005-B16	4/16	DS-220B
4100	32	4	32	2005-B32	4/32	DS-4100B
4900	44	4	64	2005-B64	4/64	DS-4900B
5000	58	4	32	2005-B5K	4/32B	DS-5000B
AP-7420	?	4	16	2109-A16	?	?
7500	46	4	16	2005-R18	400 MPR	MP-7500B
7600 app	55.2	4	16	?	?	?

Legacy products (8G)

Brocade name	Brocade switch type	Max. port data rate (Gbit/s)	Max. ports	Dell version	EMC version	Fujitsu version	HDS version	HP version	IBM version
DCX	62	8	512		ED-DCX-B		DCX	DC SAN Backbone Director	SAN768B
DCX-4S	77	8	256	B-DCX	ED-DCX-4S-B		DCX-4S	DC04 SAN Director	SAN384B
300	71	8	24	300	DS-300B	300	300	8/24	SAN24B-4
5100	66	8	40	5100	DS-5100B	5100	5100	8/40	SAN40B-4
VA-40FC	92	8	40						
5300	64	8	80	5300	DS-5300B	5300	5300	8/80	SAN80B-4
7800 (extension)	83	8	16 FC+6 Ethernet		MP-7800B	7800	7800	1606 Extension SAN Switch	SAN06B-R
Encryption Switch	67	8	32		ES-5832B			Encryption SAN Switch	SAN32B-E4 Encryption Switch